



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

648.4702
Job Sheet 176024

Part No: 648.4702

Job Qty: 1 ea

Part Name: C3 Overhaul Kit



Part Weight: 0 lbs

Status: Scheduled

Priority: Medium

Job Created: 4/16/18

Job Tracking No:

Due Date: 5/25/18

Created By: Marie Lajeunesse

Type: SOLD

Description:

Note: O&OPM-C3 REV.4 IPP REV:A 17.12.11 NEW ISSUE DD VERF:JFS

Ship Via:

Bill of Materials

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard	Workcenter/Supplier		Sign-off
					Setup hrs	Run Hrs	Workcenter / Supplier Lead Time	
90	Start up Operation	1 Ea		5/24/18	0.00	0.00	Start Up Stores/Pkg-1	18-05-23
110	Small Fab	1 pcs		5/25/18	0.00	1.00	Small Fab-9	18-05-23
120	QC	1 pcs		5/25/18	0.00	0.00	QC4	9-89
125	DC	1 pcs		5/25/18	0.00	0.00	DC	
130	Packaging	1 pcs		5/25/18	0.00	0.00	Packaging3-1	MAY 24 2018
140	QC21-FG	1 Ea		5/25/18	0.00	0.00	QC21	MAY 24 2018

Part Op 110 - Pick kit

Descriptions: 125 - Photocopy bluefile & type labels per PPP 648.7402

130 - Identify and pack for shipping as per PPP 648.4702

Job BOM

Part / Item	Component Name	Quantity	Operation	Container
188-FPSS-1032-1/4	Set Screw	2 Ea (2 ea)	90-Start up Operation	50495725058 750
188-FSCS-832-5/8	Clock Spring Cover Screw	4 Ea (4 ea)	90-Start up Operation	5038399
600.1309-A	Label	1 Ea (1 ea)	90-Start up Operation	5064516
600.1313	C3 Warning Label	1 Ea (1 ea)	90-Start up Operation	5029483
AN4-16A	Bolt	3 Ea (3 ea)	90-Start up Operation	5068654
C2-14-2	Label Rivets	2 Ea (2 ea)	90-Start up Operation	5057170
C2-3-1	Bearing DU	2 (2 ea)	90-Start up Operation	5029243
C2-3-2-1	Roller Pin Retaining Ring	2 Ea (2 ea)	90-Start up Operation	5056845
C2-3-3-1	Latch Roller DU Bearing	1 Ea (1 ea)	90-Start up Operation	5050472
C2-3-5	Spacer, Teflon	2 Ea (2 ea)	90-Start up Operation	5058758
C2-3-8	Actuator Bushing	2 Ea (2 ea)	90-Start up Operation	5072543
C3-10-2	Lock Spring	1 Ea (1 ea)	90-Start up Operation	5070352
C3-12-1	Lock Bushing	2 Ea (2 ea)	90-Start up Operation	5035073
C3-12-6 (5100-0037 SPP)	Lock Roller Retaining Ring	2 (2 ea)	90-Start up Operation	5066110
C3-13-1 (60F DU04)	Keeper DU-Bearing Bushing	2 (2 ea)	90-Start up Operation	5029270
C3-13-5 (BENDOFF)	Keeper Spring	1 (1 ea)	90-Start up Operation	5029273
C3-3-4-1 (5100-0042 SPP)	Retaining Ring	4 (4 ea)	90-Start up Operation	5032318
C3-3-9	Actuator Spring	1 (1 ea)	90-Start up Operation	5029280
C3-4-1	Load Beam Bushing	2 Ea (2 ea)	90-Start up Operation	5072098
C3-7-1	Load Beam Bumper	1 Ea (1 ea)	90-Start up Operation	5062797
C3-7-2	Lock Bumper	2 Ea (2 ea)	90-Start up Operation	5067293
C3-8-4	Solenoid Cover Gasket	1 (1 ea)	90-Start up Operation	5029287

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION		AGAINST DEPARTMENT/PROCESS				
	Rework ☐		Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐	
	Scrap ☐		Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	
	Use-as-is ☐		Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	
	Suspected Unapproved ☐		Large Fab ☐	Composite ☐	Supplier ☐		

Date : _____	Step #: _____	QTY Effective : _____	MRB (QSI042) Approval
--------------	---------------	-----------------------	-----------------------

Description	Disposition	Completed By
Uari Aerospace Ltd. 1270 Aberdeen Street Hawthorn, ON K6A 1K7 CANADA TEL: 1 613 632-6200 Email: sales@dartaero.com www.dartaerospace.com DART AEROSPACE Container No: S073608 Part: 648.4702 Job No: 176024 Serial No/Batch: S073608 Revision: 4 Inspector: Date: 05/23/18		Lead hand / Supervisor Approval Verification
		QC / QA Coordinator Approval

Root Cause		Other	
Environment ☐	No Re-verification ☐	Positioned Wrong ☐	
Design ☐	Operator ☐	Outside Dimensions ☐	
Doc/Data ☐	Offset/Setup ☐	Over/Under tolerance ☐	
Equip/Tooling ☐	Supplier ☐	Part Incorrect ☐	
Handling/Pre ☐	Training ☐	Part Lost/Missing ☐	
Material ☐	Use for Testing ☐	Part Moved ☐	
Internal Transport ☐	Poor Information ☐	Drawing ☐	
Tribal Knowledge ☐	Rushing ☐	Finish ☐	
LOA ☐	Product Improvement ☐	Misread ☐	
Substation ☐	Process Improvement ☐	Turning Sequence ☐	
Past Expiry Date ☐	Manufacturing Process ☐		
Misidentified ☐	Past Due ☐		
OTHER :			

NAS1149F0463P ✓	Washer ✓	8 Ea (8 ea)	90-Start up Operation	5056461
MS21044N4 ✓	Nut, Self-Locking ✓	4 Ea (4 ea)	90-Start up Operation	5058122
AN4-17A ✓	Bolt ✓	1 Ea (1 ea)	90-Start up Operation	5067893
MS21083N3 ✓	Nut ✓	2 Ea (2 ea)	90-Start up Operation	5036469
NAS1149F0332P ✓	Washer ✓	2 Ea (2 ea)	90-Start up Operation	5057525 5068663
MS35266-63 ✓	Solenoid Cover Screw ✓	1 Ea (1 ea)	90-Start up Operation	5038767
NAS1149F0363P ✓	Washer ✓	1 Ea (1 ea)	90-Start up Operation	5027738
AN6-15A ✓	Bolt ✓	1 Ea (1 ea)	90-Start up Operation	5049842
MS21083N6 ✓	Nut ✓	1 Ea (1 ea)	90-Start up Operation	5036359
NAS1149F0632P ✓	Washer ✓	2 Ea (2 ea)	90-Start up Operation	5048297

Job Allocations

Operation	Component Part	Required	Inventory	Allocated
90-Start up Operation	188-FPSS-1032-1/4	2	108	0
	188-FSCS-832-5/8	4	180	0
	600.1309-A	1	0	0
	600.1313	1	2	0
	AN4-16A	3	280	0
	AN4-17A	1	211	0
	AN6-15A	1	11	0
	C2-14-2	2	274	0
	C2-3-1	2	0	0
	C2-3-2-1	2	100	0
	C2-3-3-1	1	29	0
	C2-3-5	2	100	0
	C2-3-8	2	6	0
	C3-10-2	1	0	0
	C3-12-1	2	34	0
	C3-12-6 (5100-0037-SPP)	2	0	0
	C3-13-1 (06FDU04)	2	0	0
	C3-13-5 (DENDOFF)	1	0	0
	C3-3-4-1 (5100-0012-SPP)	4	0	0
	C3-3-9	1	0	0
	C3-4-1	2	0	0
	C3-7-1	1	0	0
	C3-7-2	2	0	0
	C3-8-4	1	0	0
	MS21044N4	4	58	0
	MS21083N3	2	87	0
	MS21083N6	1	25	0
	MS35266-63	1	44	0
	NAS1149F0332P	2	3,115	0
	NAS1149F0363P	1	239	0
	NAS1149F0463P	8	574	0
	NAS1149F0632P	2	513	0

Part Specifications

Specifications could not be found.

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS <table style="width:100%; border: none;"> <tr> <td style="border: none;">Skid-tube ☐</td> <td style="border: none;">Cross tube ☐</td> <td style="border: none;">Water Jet ☐</td> <td style="border: none;">Engineering ☐</td> </tr> <tr> <td style="border: none;">Machining ☐</td> <td style="border: none;">Small Fab ☐</td> <td style="border: none;">Prod. Eng. Coord. ☐</td> <td style="border: none;">Quality ☐</td> </tr> <tr> <td style="border: none;">Thermoforming ☐</td> <td style="border: none;">Finishing ☐</td> <td style="border: none;">Rec/Store/Packaging ☐</td> <td style="border: none;">Other ☐</td> </tr> <tr> <td style="border: none;">Large Fab ☐</td> <td style="border: none;">Composite ☐</td> <td style="border: none;">Supplier ☐</td> <td></td> </tr> </table>						Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐																																															
Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐																																																																				
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐																																																																				
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐																																																																				
Large Fab ☐	Composite ☐	Supplier ☐																																																																					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval																																																																
Description Work Order Deviation				Disposition				Completed By																																																															
								Lead hand / Supervisor Approval Verification																																																															
								QC / QA Coordinator Approval																																																															
Root Cause <table style="width:100%; border: none;"> <tr><td style="border: none;">Environment ☐</td><td style="border: none;">No Re-verification ☐</td></tr> <tr><td style="border: none;">Design ☐</td><td style="border: none;">Operator ☐</td></tr> <tr><td style="border: none;">Doc/Data ☐</td><td style="border: none;">Offset/Setup ☐</td></tr> <tr><td style="border: none;">Equip/Tooling ☐</td><td style="border: none;">Supplier ☐</td></tr> <tr><td style="border: none;">Handling/Pre ☐</td><td style="border: none;">Training ☐</td></tr> <tr><td style="border: none;">Material ☐</td><td style="border: none;">Use for Testing ☐</td></tr> <tr><td style="border: none;">Internal Transport ☐</td><td style="border: none;">Poor Information ☐</td></tr> <tr><td style="border: none;">Tribal Knowledge ☐</td><td style="border: none;">Rushing ☐</td></tr> <tr><td style="border: none;">LOA ☐</td><td style="border: none;">Product Improvement ☐</td></tr> <tr><td style="border: none;">Substation ☐</td><td style="border: none;">Process Improvement ☐</td></tr> <tr><td style="border: none;">Past Expiry Date ☐</td><td style="border: none;">Manufacturing Process ☐</td></tr> <tr><td style="border: none;">Misidentified ☐</td><td style="border: none;">Past Due ☐</td></tr> </table>		Environment ☐	No Re-verification ☐	Design ☐	Operator ☐	Doc/Data ☐	Offset/Setup ☐	Equip/Tooling ☐	Supplier ☐	Handling/Pre ☐	Training ☐	Material ☐	Use for Testing ☐	Internal Transport ☐	Poor Information ☐	Tribal Knowledge ☐	Rushing ☐	LOA ☐	Product Improvement ☐	Substation ☐	Process Improvement ☐	Past Expiry Date ☐	Manufacturing Process ☐	Misidentified ☐	Past Due ☐	FAULT CATEGORY <table style="width:100%; border: none;"> <tr> <td style="border: none;">Pressure/Forced ☐</td> <td style="border: none;">Temperature/Cure ☐</td> <td style="border: none;">Power Loss/Surge ☐</td> <td style="border: none;">Positioned Wrong ☐</td> </tr> <tr> <td style="border: none;">Bending ☐</td> <td style="border: none;">Set-up ☐</td> <td style="border: none;">Folio/Program ☐</td> <td style="border: none;">Outside Dimensions ☐</td> </tr> <tr> <td style="border: none;">Centre Not Concentric ☐</td> <td style="border: none;">BOM/Route ☐</td> <td style="border: none;">Grain ☐</td> <td style="border: none;">Over/Under tolerance ☐</td> </tr> <tr> <td style="border: none;">Cracks ☐</td> <td style="border: none;">Broken/Damage/Defect ☐</td> <td style="border: none;">Weld ☐</td> <td style="border: none;">Part Incorrect ☐</td> </tr> <tr> <td style="border: none;">Crimp/Kink/Ripple/Wave ☐</td> <td style="border: none;">Inspection Incomplete/Unqualified ☐</td> <td style="border: none;">Wrong Stock Pulled ☐</td> <td style="border: none;">Part Lost/Missing ☐</td> </tr> <tr> <td style="border: none;">Cuffs ☐</td> <td style="border: none;">Contamination ☐</td> <td style="border: none;">Out of Sequence ☐</td> <td style="border: none;">Part Moved ☐</td> </tr> <tr> <td style="border: none;">Crushing ☐</td> <td style="border: none;">Countersink ☐</td> <td style="border: none;">Off-set ☐</td> <td style="border: none;">Drawing ☐</td> </tr> <tr> <td style="border: none;">Heat Treat ☐</td> <td style="border: none;">Cut Too Short ☐</td> <td style="border: none;">Mislabeled ☐</td> <td style="border: none;">Finish ☐</td> </tr> <tr> <td style="border: none;">Wave/Twist in Tube ☐</td> <td style="border: none;">Instructions Incomplete/Unclear ☐</td> <td style="border: none;">Fit/Function ☐</td> <td style="border: none;">Misread ☐</td> </tr> <tr> <td style="border: none;">Marks/Chatter ☐</td> <td style="border: none;">Drill Holes ☐</td> <td style="border: none;">Misaligned/off center ☐</td> <td style="border: none;">Turning Sequence ☐</td> </tr> </table>						Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐
Environment ☐	No Re-verification ☐																																																																						
Design ☐	Operator ☐																																																																						
Doc/Data ☐	Offset/Setup ☐																																																																						
Equip/Tooling ☐	Supplier ☐																																																																						
Handling/Pre ☐	Training ☐																																																																						
Material ☐	Use for Testing ☐																																																																						
Internal Transport ☐	Poor Information ☐																																																																						
Tribal Knowledge ☐	Rushing ☐																																																																						
LOA ☐	Product Improvement ☐																																																																						
Substation ☐	Process Improvement ☐																																																																						
Past Expiry Date ☐	Manufacturing Process ☐																																																																						
Misidentified ☐	Past Due ☐																																																																						
Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐																																																																				
Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐																																																																				
Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐																																																																				
Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐																																																																				
Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐																																																																				
Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐																																																																				
Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐																																																																				
Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐																																																																				
Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐																																																																				
Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐																																																																				
OTHER :																																																																							